

Land Capability and Yields per Acre of Pasture and Hay

Lawrence County, Alabama

(Yields are those that can be expected under a high level of management. They are for nonirrigated areas. Absence of a yield indicates that the soil is not suited to the crop or the crop generally is not grown on the soil.)

| Map symbol and soil name | Land capability | Alfalfa hay | Grass hay | Improved bermudagrass | Pasture | Tall fescue |
|-----------------------------|--------------------|-------------|-----------|--------------------------|---------|-------------|
| | | Tons | Tons | AUM | AUM | AUM |
| Aa: Abernathy----- | 2w | 4.00 | --- | --- | 7.50 | --- |
| Ab: Abernathy----- | 2e | 4.00 | --- | --- | 7.50 | --- |
| Ac: Abernathy----- | 2w | 4.00 | --- | --- | 7.50 | --- |
| Ad: Abernathy----- | 2e | 4.00 | --- | --- | 7.50 | --- |
| Ae: Allen----- | 3e | 3.30 | --- | --- | 6.50 | --- |
| Af: Allen----- | 4e | 2.80 | --- | --- | 5.80 | --- |
| Ag: Allen----- | 3e | 3.30 | --- | --- | 6.50 | --- |
| Ah: Allen----- | 2e | 3.40 | --- | --- | 6.50 | --- |
| Ak: Allen----- | 3e | 3.30 | --- | --- | 6.50 | --- |
| Al: Atkins----- | 4w | --- | --- | --- | 12.00 | --- |
| Ba: Barbourville----- | 2w | --- | --- | 8.00 | --- | --- |
| Bb: Baxter----- | 3e | 2.50 | --- | --- | 5.50 | --- |
| Bc: Baxter----- | 4e | 2.50 | --- | --- | 5.00 | --- |
| Bd: Bruno----- | 3s | --- | --- | --- | --- | --- |
| Ca: Cumberland----- | 3e | 3.40 | --- | --- | 7.00 | --- |
| Cb: Cumberland----- | 2e | 3.60 | --- | --- | 7.50 | --- |
| Cc: Cumberland----- | 2e | 3.60 | --- | --- | 7.50 | --- |

Land Capability and Yields per Acre of Pasture and Hay (cont.)

Lawrence County, Alabama

| Map symbol and soil name | Land capability | Alfalfa hay | Grass hay | Improved bermudagrass | Pasture | Tall fescue |
|-----------------------------|--------------------|-------------|-----------|--------------------------|---------|-------------|
| | | Tons | Tons | AUM | AUM | AUM |
| Cd: Colbert----- | 3e | --- | 2.50 | --- | --- | 7.00 |
| Ce: Colbert----- | 4e | --- | 2.00 | --- | --- | 6.50 |
| Cf: Colbert----- | 4e | --- | 2.00 | --- | --- | 6.50 |
| Cg: Colbert----- | 3e | --- | 2.50 | --- | --- | 7.00 |
| Ch: Colbert----- | 7e | --- | --- | --- | --- | --- |
| Ck: Colbert----- | 4e | --- | 2.00 | --- | --- | 6.50 |
| Cl: Colbert----- | 3e | --- | 2.50 | --- | --- | 7.00 |
| Cm: Colbert----- | 2w | --- | --- | --- | 7.00 | --- |
| Cn: Colbert----- | 4e | --- | 2.00 | --- | --- | 6.50 |
| Co: Colbert----- | 3e | --- | 2.50 | --- | --- | 7.00 |
| Cp: Colbert----- | 7e | --- | --- | --- | --- | --- |
| Cr: Colbert----- | 4e | --- | 2.00 | --- | --- | 6.50 |
| Cs: Colbert----- | 3e | --- | 2.50 | --- | --- | 7.00 |
| Ct: Cotaco----- | 3w | --- | --- | --- | 11.00 | --- |
| Cu: Cumberland----- | 3e | 3.40 | --- | --- | 7.00 | --- |
| Cv: Cumberland----- | 2e | 3.60 | --- | --- | 7.50 | --- |
| Cw: Cumberland----- | 2e | 3.60 | --- | --- | 7.50 | --- |
| Da: Decatur----- | 2e | --- | --- | --- | 8.50 | --- |
| Db: Decatur----- | 4e | --- | --- | --- | 5.50 | --- |
| Dc: Decatur----- | 3e | --- | --- | --- | 8.50 | --- |
| Dd: Decatur----- | 4e | --- | --- | --- | 5.50 | --- |
| De: Decatur----- | 4e | --- | --- | --- | 5.50 | --- |

Land Capability and Yields per Acre of Pasture and Hay (cont.)

Lawrence County, Alabama

| Map symbol and soil name | Land capability | Alfalfa hay | Grass hay | Improved bermudagrass | Pasture | Tall fescue |
|--------------------------------|--------------------|-------------|-----------|--------------------------|---------|-------------|
| | | Tons | Tons | AUM | AUM | AUM |
| Df: Decatur----- | 3e | --- | --- | --- | 8.50 | --- |
| Dg: Dewey----- | 3e | 2.50 | --- | --- | 5.50 | --- |
| Dh: Dewey----- | 2e | 3.00 | --- | --- | 6.00 | --- |
| Dk: Dowellton (ketona)----- | 4w | --- | --- | --- | --- | 5.00 |
| Dl: Dunning----- | 4w | --- | --- | --- | --- | 5.00 |
| Ea: Enders----- | 6e | --- | --- | --- | --- | 5.00 |
| Eb: Enders----- | 4e | --- | --- | 5.50 | --- | 5.00 |
| Ec: Enders----- | 6e | --- | --- | --- | --- | 5.00 |
| Ed: Etowah----- | 2e | --- | --- | --- | 7.00 | --- |
| Ee: Etowah----- | 2e | --- | --- | --- | 7.00 | --- |
| Ef: Etowah----- | 2e | --- | --- | --- | 7.00 | --- |
| Eg: Etowah----- | 3e | --- | --- | --- | 6.50 | --- |
| Eh: Etowah----- | 2e | --- | --- | --- | 7.00 | --- |
| Ga: Gullied Land----- | --- | --- | --- | --- | --- | --- |
| Ha: Hamblen----- | 2w | --- | --- | --- | 7.50 | --- |
| Hb: Hartsells----- | 3e | --- | 4.00 | 7.50 | --- | --- |
| Hc: Hartsells----- | 2e | --- | 4.50 | 8.00 | --- | --- |
| Hd: Hartsells----- | 3e | --- | 4.00 | 7.50 | --- | --- |
| He: Hollywood----- | 2w | --- | --- | --- | --- | 9.00 |
| Hf: Monongahela----- | 2e | --- | 4.50 | --- | --- | --- |
| Holston----- | 2e | | | | | |
| Hg: Monongahela----- | 2w | --- | 5.00 | --- | --- | --- |
| Holston----- | 1 | | | | | |

Land Capability and Yields per Acre of Pasture and Hay (cont.)

Lawrence County, Alabama

| Map symbol and soil name | Land capability | Alfalfa hay | Grass hay | Improved bermudagrass | Pasture | Tall fescue |
|-----------------------------|--------------------|-------------|-----------|--------------------------|---------|-------------|
| | | Tons | Tons | AUM | AUM | AUM |
| Hh: | | --- | 4.50 | --- | --- | --- |
| Monongahela----- | 2e | | | | | |
| Holston----- | 2e | | | | | |
| Hk: | | 4.00 | --- | --- | 7.50 | --- |
| Huntington----- | 2w | | | | | |
| Ja: | | --- | --- | --- | --- | --- |
| Jefferson----- | 4e | | | | | |
| Jb: | | --- | --- | --- | --- | --- |
| Jefferson----- | 3e | | | | | |
| Jc: | | --- | --- | --- | --- | --- |
| Jefferson----- | 2e | | | | | |
| Jd: | | --- | --- | --- | --- | --- |
| Jefferson----- | 3e | | | | | |
| Je: | | --- | --- | --- | --- | --- |
| Johnsburg----- | 3w | | | | | |
| La: | | --- | --- | --- | 12.00 | --- |
| Lickdale----- | 4w | | | | | |
| Lb: | | --- | --- | --- | --- | --- |
| Lindside----- | 3w | | | | | |
| Lc: | | --- | --- | 8.50 | --- | 6.50 |
| Linker----- | 3e | | | | | |
| Ld: | | --- | --- | 6.50 | --- | 5.00 |
| Linker----- | 6e | | | | | |
| Le: | | --- | --- | 8.50 | --- | 6.50 |
| Linker----- | 3e | | | | | |
| Lf: | | --- | 4.00 | --- | --- | --- |
| Linker----- | 2e | | | | | |
| Lg: | | --- | 3.50 | --- | --- | --- |
| Linker----- | 3e | | | | | |
| Ma: | | --- | --- | --- | --- | 6.50 |
| Melvin----- | 4w | | | | | |
| Mb: | | --- | --- | --- | --- | --- |
| Tyler----- | 3w | | | | | |
| Monongahela----- | 2e | | | | | |
| Mc: | | --- | --- | --- | --- | --- |
| Tyler----- | 3w | | | | | |
| Monongahela----- | 2w | | | | | |
| Md: | | --- | --- | --- | --- | --- |
| Tyler----- | 3w | | | | | |
| Monongahela----- | 2e | | | | | |
| Me: | | --- | --- | --- | --- | --- |
| Muskingum----- | 7e | | | | | |
| Mf: | | --- | --- | --- | --- | --- |
| Muskingum----- | 7s | | | | | |
| Mg: | | --- | --- | --- | --- | --- |
| Muskingum----- | 7s | | | | | |

Land Capability and Yields per Acre of Pasture and Hay (cont.)

Lawrence County, Alabama

| Map symbol and soil name | Land capability | Alfalfa hay | Grass hay | Improved bermudagrass | Pasture | Tall fescue |
|--------------------------------|--------------------|-------------|-----------|--------------------------|---------|-------------|
| | | Tons | Tons | AUM | AUM | AUM |
| Na: Nolichucky----- | 3e | 3.30 | --- | --- | 6.50 | --- |
| Nb: Nolichucky----- | 2e | 3.40 | --- | --- | 6.50 | --- |
| Oa: Ooltewah----- | 4w | --- | 4.00 | 8.00 | --- | 8.00 |
| Ob: Ooltewah----- | 4w | --- | 4.00 | 8.00 | --- | 8.00 |
| Pa: Colbert----- | 4e | --- | 2.00 | --- | --- | 6.50 |
| Pb: Colbert----- | 3e | --- | 2.50 | --- | --- | 7.00 |
| Pc: Colbert----- | 4e | --- | 2.00 | --- | --- | 6.50 |
| Pd: Colbert----- | 3e | --- | 2.50 | --- | --- | 7.00 |
| Pe: Philo----- | 3w | --- | --- | --- | 11.00 | --- |
| Pf: Pottsville----- | 7e | --- | --- | --- | --- | --- |
| Pg: Pottsville----- | 7e | --- | --- | --- | --- | --- |
| Ph: Prader----- | 4w | --- | --- | --- | --- | 6.50 |
| Ra: Robertsville----- | 4w | --- | --- | --- | --- | 5.00 |
| Rb: Rockland----- | 6s | --- | --- | --- | --- | --- |
| Rc: Rockland----- | 7s | --- | --- | --- | --- | --- |
| Rd: Ruston (smithdale)----- | 3e | --- | --- | 9.00 | --- | --- |
| Re: Ruston (smithdale)----- | 3e | --- | --- | 9.00 | --- | --- |
| Rf: Ruston (smithdale)----- | 2e | --- | --- | 9.50 | --- | --- |
| Sa: Sequatchie----- | 2e | --- | --- | --- | 7.50 | --- |
| Sb: Sequatchie----- | 2e | --- | --- | --- | 7.50 | --- |
| Sc: Staser----- | 2w | --- | --- | --- | 8.00 | --- |
| Sd: Stony Rolling Land----- | 6s | --- | --- | --- | --- | --- |

Land Capability and Yields per Acre of Pasture and Hay (cont.)

Lawrence County, Alabama

| Map symbol and soil name | Land capability | Alfalfa hay | Grass hay | Improved bermudagrass | Pasture | Tall fescue |
|------------------------------|--------------------|-------------|-----------|--------------------------|---------|-------------|
| | | Tons | Tons | AUM | AUM | AUM |
| Se: Stony Steep Land----- | 7s | --- | --- | --- | --- | --- |
| Ta: Talbutt----- | 4e | --- | --- | --- | --- | --- |
| Tb: Talbutt----- | 3e | --- | --- | --- | --- | --- |
| Tc: Talbutt----- | 3e | --- | --- | --- | --- | --- |
| Td: Talbutt----- | 3e | --- | --- | --- | --- | --- |
| Te: Talbutt----- | 4e | --- | --- | --- | --- | --- |
| Tf: Talbutt----- | 3e | --- | --- | --- | --- | --- |
| Tg: Talbutt----- | 4e | --- | --- | --- | --- | --- |
| Th: Tilsit----- | 3e | --- | 3.50 | 7.50 | --- | --- |
| Tk: Tilsit----- | 2e | --- | 4.00 | 8.00 | --- | --- |
| Tl: Tilsit----- | 3e | --- | 3.50 | 7.50 | --- | --- |
| Tm: Tilsit----- | 2e | --- | 4.00 | 8.00 | --- | --- |
| Tn: Tupelo----- | 2w | --- | --- | --- | 7.00 | --- |
| To: Tupelo----- | 2w | --- | --- | --- | 7.00 | --- |
| Tp: Tyler----- | 3w | --- | --- | --- | --- | --- |
| Wa: Waynesboro----- | 3e | 3.50 | --- | --- | --- | 7.00 |
| Wb: Waynesboro----- | 2e | 3.50 | --- | --- | --- | 7.50 |